



Strojirenský zkušební ústav, s.p.
(Engineering Test Institute, Public Enterprise)
Notified Body Identification Number 1015
Hudcova 424/56b, 621 00 Brno, Czech Republic

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425 of the European Parliament and of the Council
(personal protective equipment)

Number: **1015-PPER-J-30-20481-18**

Manufacturer: Unitary enterprise "AzotKhimFortis"
Pr. Kosmonavtov 100,
230 013 Grodno, Republic of Belarus

PPE Name: The high tenacity static cord 10, 11 mm diameter

PPE identification: see enclosed technical description and photos (page 3)

Evaluation Report: Final Report 30-11381 dated 2018-10-30

Harmonised standard used: ČSN EN 1891:2000 (idt. EN 1891:1998)

The Engineering Testing Institute (SZU), Notified Body 1015, hereby confirms that it has reviewed the technical design of the PPE according to point 4 of Annex V to Regulation (EU) 2016/425 of the European Parliament and of the Council and that the type of the PPE is in compliance with the applicable essential health and safety requirements. The results of the activities carried out by the Notified Body in accordance with point 4 are specified in the Final Report concerned (i.e. in the Evaluation Report).

This certificate shall only be used in conjunction with one of the conformity assessment procedures referred to in point (c) of Article 19 of Regulation (EU) 2016/425 of the European Parliament and of the Council.

This Certificate expires on **2023-10-30** (in 5 years) and may be renewed.

The rules for using the Certificate and the conditions for its validity are specified overleaf.

Brno, 2018-10-31




.....
Ing. Pavel Šticha
Director for Certification



RULES FOR USING THE CERTIFICATE AND CONDITIONS FOR ITS VALIDITY

Fulfilment of the requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council on personal protective equipment and repealing Council Directive 89/686/EEC was derived from the fulfilment of the requirements of the standard concerned, as specified on page one of the Certificate. The amendment to any of the normative documents listed may change the circumstances upon which the Certificate was issued. In that case, the usability of the Certificate must be reviewed.

The Notified Body shall be informed of any changes in the generally acknowledged state-of-the-art, which would indicate that the approved type may no longer comply with the applicable essential health and safety requirements, and shall decide whether such changes require additional investigation. If so, the Notified Body shall inform the manufacturer.

The manufacturer shall inform the Notified Body having in possession the technical documentation concerning the EU type-examination certificate of all modifications of the approved type and of the technical documentation that may affect conformity of the PPE with the applicable essential health and safety requirements or the conditions for the validity of the Certificate. Such modifications require additional approval in an annex to the original EU type-examination certificate.

The Certificate may only be used as a certificate for the product specified on the previous page and in the Annex. This also holds true for the use in advertising, promotional and commercial materials. Unauthorised or deceitful use of the Certificate may be penalised.

It is forbidden to change, amend or overwrite the data contained in the Certificate.

The Certificate may not be used for documenting the properties of products changed without SZU's consent in such a way that conformity with the standard used and technical regulation applied is affected.

The Certification Body requires that the Certificate holder keeps records of all complaints and corrective actions applicable to the products included in this Certificate.



EU type-examination certificate 1015-PPER-J-30-20481-18 Annex, page 3 (3)

PPE identification: Low stretch kernmantel ropes
The high tenacity static cord (10, 11) mm diameter
FORTIS-static
Trade mark: FORTIS

Rope	diameter 10,0 mm	diameter 11,0 mm
FORTIS-static, Type A	Series No. 13	Series No. 15
Material	polyamide	polyamide
Weight	61,29 g/m	67,84 g/m
Construction	Core and braid	Core and braid



